

Mini 1080P Full HD Marine IP Camera #D10014





Camera Dimension	Φ 40MM*50MM(L)
Lens	2.8mm (H/V:85°)
Resolution	2MP 1920*1080P 30FPS
Built-in lights	No
Image color	Full color
Support Device	PC,NVR
Support Protocol	IPv4/IPv6,802.1x,RTSP,RTMP,ONVIF;HTTP,HTTPS, TCP/IP, UDP, RTP, RTCP, UPNP, RTSP, SMTP, NTP, DHCP, DNS, PPPOE, DDNS, FTP,SDK Secondary development
Camera Housing Material	Titanium
Waterproof	IP68, Fix under seawater permanently
Seawater Depth	1000M MAX
Cable	10M standard cable length;80M Max, Φ 7mm thick, PU tube,anti-corrosion,scratch-resistant,Aging-resistant industrial material.
Application	Seawater/Freshwater/land/vessel/boat/vehicle
Working humidity	0%-100%
Working temperature	-20℃ -50℃
Power supply	DC24V
Net weight	0.5KG
Packing list	1*camera head 1*USB(for software and manual instruction)



Camera Dimension	Φ40MM*50MM(L)
Lens	2.8mm (H/V:85°)
Resolution	2MP 1920*1080P 30FPS
Built-in lights	No
Image color	Full color
Support Device	PC,NVR
Support Protocol	IPv4/IPv6,802.1x,RTSP,RTMP,ONVIF;HTTP,HTTPS, TCP/IP, UDP, RTP, RTCP, UPNP, RTSP, SMTP, NTP, DHCP, DNS, PPPOE, DDNS, FTP,SDK Secondary development
Camera Housing Material	Titanium
Waterproof	IP68, Fix under seawater permanently
Seawater Depth	3000M MAX
Camera end	8 PINS water tight joint
Application	Seawater/Freshwater/land/vessel/boat/vehicle
Working humidity	0%-100%
Working temperature	-20℃-50℃
Power supply	DC24V
Net weight	0.5KG
Packing list	1*camera head 1*USB(for software and manual instruction)

Drawing



ROYAL TOOL(HONGKONG)LIMITED
No. 38, Mingquan Road, Zhongshan city,
Guangdong Province, China 528400.
E-mail: info@royaltoolpro.com
Tel: 086 0735 7640815/086 0760 8880 1865
www.royaltoolpro.com
www.vanhonindustry.com